

Our ref: MH/LTM/LAR/LIN115

Mrs Martin East Keal Parish Council Rambles Fen Lane East Keal Spilsby, Lincolnshire PE23 4AY

09 September 2016

Grant Thornton UK LLP Royal Liver Building Liverpool L3 1PS

T +44 (0)151 224 7200 F +44 (0)151 224 7201 www.grant-thornton.co.uk

Dear Mrs Martin

East Keal Parish Council Audit for the year ended 31 March 2016

Please find enclosed the certified Annual Return for East Keal Parish Council for the year ended 31 March 2016.

In accordance with the Audit Commission's scale of audit fees for small bodies there is no audit fee payable as the income and expenditure for the year ended 31 March 2016 are both less than f,10,000. There are no additional fees.

Satisfaction survey

Please find enclosed our audit satisfaction survey that Public Sector Audit Appointments has requested we ask you to complete. We would be grateful if you could complete and return the form to us by post to the address above. Alternatively you can complete the survey online or return the form to us by e mail. Instructions are on the survey enclosed.

Notice of Conclusion of Audit

A copy of the Notice of Conclusion of Audit is enclosed for completion. Please note that you must publish the information on a free to access website*

2016/17 audit

As you may be aware, the Joint Practitioners' Advisory Group (JPAG), Society of Local Council Clerks, the National Association of Local Councils and the Association of Drainage Authorities has now published the 2016 edition of 'Governance and Accountability for Smaller Authorities in England, A Practitioners' Guide to Proper Practices to be applied in the preparation of statutory annual accounts and governance statements, March 2016. The 2016 edition applies to Annual Returns in respect of financial years commencing on or after 01 April 2016.

Yours sincerely

Grant Thornton UK LLP

Grant Thunton UK UP.

*Parish Meetings without access to a public website must display the information in a conspicuous place in the area of the authority for at least 14 days.